PALM Intrane	t					
Application Number		SEARCH				
IDS Flag Cle	arance for App	olication 10692859	9			
promenon 198						
	Content	Mailroom Date	Entry Number	IDS Review	Reviewer	
	M844	10-27-2003	17	V	08-10-2005 23:51:38 IDS CON	7
!	M844	03-07-2005	18	Image: section of the	08-10-2005 23:51:38 IDS CON	7

UPDATE

10692859	Not	30	10/27/2003	Character input method and character	TO, WAI SZE
	Issued	\bigsqcup		input device	

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		input adj device and (connect\$6 with Line\$1 or trace\$6 or draw\$6 adj line\$1 adj connect\$6) adj (((input\$6 or press\$6) adj keys) and sequential\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:33
		character\$1 adj input\$6 adj device\$1 and (connect\$6 with Line\$1 or trace\$6 or draw\$6 adj line\$1 adj connect\$6) and ((input\$6 or press\$6) adj keys) and sequential\$6 and form\$6 and (alphabet\$6 adj character\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:30
		input\$6 adj device\$6 and (processor or cpu or control\$6 or micro-processor or computer) and (memory or storage) and table and (key\$6 and press\$6) and actuate\$6 adj sequence\$6 and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:40
L1	216208	input adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 08:56
L2	68993	input adj device and keys	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 08:56
L3	72074	input adj device and (keys or push adj buttons)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 08:57
L4	14	input adj device and (keys or push adj buttons) and key adj actuat\$6 adj sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 08:57
L5	8	input adj device and (keys or push adj buttons) and (key adj actuat\$6 adj sequence and form\$6 and character\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 08:58
S1	2061	character\$1 adj input\$6 adj device\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:20

S2	18	character\$1 adj input\$6 adj device\$1 and data adj processor and memory and key\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:48
S3	0	character\$1 adj input\$6 adj device\$1 and data adj processor and memory and key\$6 and table and key\$6 adj actuate\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:49
S4	0	character\$1 adj input\$6 adj device\$1 and processor and memory and key\$6 and table and key\$6 adj actuate\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:49
S5	1	character\$1 adj input\$6 and processor and memory and key\$6 and table and key\$6 adj actuate\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:50
S6	1	input\$6 adj device\$6 and character\$1 adj input\$6 and processor and memory and key\$6 and table and key\$6 adj actuate\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:50
S7	6	input\$6 adj device\$6 and character\$1 adj input\$6 and processor and memory and key\$6 and table and actuate\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:52
S8	7	input\$6 adj device\$6 and character\$1 adj input\$6 and (processor or cpu or control\$6 or micro-processor or computer) and memory and key\$6 and table and actuate\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:53
S9	7	input\$6 adj device\$6 and character\$1 adj input\$6 and (processor or cpu or control\$6 or micro-processor or computer) and (memory or storage)and key\$6 and table and actuate\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:54
S10	22	input\$6 adj device\$6 and character\$1 and (processor or cpu or control\$6 or micro-processor or computer) and (memory or storage)and key\$6 and table and actuate\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:29

		LASI Scarci				
S11	21	input\$6 adj device\$6 and (processor or cpu or control\$6 or micro-processor or computer) and (memory or storage)and table and (character\$1 and key\$6) and represent\$6 and actuate\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:36
S12	10	input\$6 adj device\$6 and (processor or cpu or control\$6 or micro-processor or computer) and (memory or storage) and table and (key\$6 and press\$6) and actuate\$6 adj sequence\$6 and (represent\$6 and alphanumeric and character\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:40
S13	10	input\$6 adj device\$6 and (processor or cpu or control\$6 or micro-processor or computer) and (memory or storage) and table and (key\$6 and press\$6) and actuate\$6 adj sequence\$6 and (generat\$6 and alphanumeric and character\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:40
S14	27	input\$6 adj device\$6 and (processor or cpu or control\$6 or micro-processor or computer) and (memory or storage) and table and (key\$6 and press\$6) and actuate\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:41
S15	604	character\$1 adj input\$6 adj device\$1 and (processor or cpu or control\$6 or micro-processor or computer) and (memory or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:53
S16	12	character\$1 adj input\$6 adj device\$1 and (processor or cpu or control\$6 or micro-processor or computer) and ((memory or storage) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:59
S17	0	character\$1 adj input\$6 adj device\$1 and retrace\$6 adj character and (per and sequenc\$6 and key\$6 and press\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:01
S18	0	character\$1 adj input\$6 adj device\$1 and retrace\$6 adj character and (sequenc\$6 and key\$6 and press\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:02
S19	80	character\$1 adj input\$6 adj device\$1 and (retrace\$6 or draw\$6 and character) and (connect\$6 and sequenc\$6 and key\$6 and press\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:03

		EAST Scarce				
S20	80	character\$1 adj input\$6 adj device\$1 and ((retrace\$6 or draw\$6) and character) and (connect\$6 and sequenc\$6 and key\$6 and press\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:03
S21	32	character\$1 adj input\$6 adj device\$1 and ((retrace\$6 or draw\$6) and character) and (connect\$6 and sequenc\$6 and key\$6 adj press\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:04
S22	14	character\$1 adj input\$6 adj device\$1 and ((retrace\$6 or draw\$6) and character) and (connect\$6 and sequenc\$6 and key\$6 adj press\$6) and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:04
S23	43	wai and sze	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:17
S24	2	wai and sze and character	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:19
S25	1	wai and sze and input adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:19
S26	1	wai and sze and to and input adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:19
S27	1	wai and sze and to	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:19
S28	0	character\$1 adj input\$6 adj device\$1 and (input\$6 or press\$6) and keys and ((draw\$6 or retrace\$6) and (alphabet\$6 and charcter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:22
S29	0	character\$1 adj input\$6 adj device\$1 and ((input\$6 or press\$6) and keys) and ((draw\$6 or retrace\$6) and (alphabet\$6 and charcter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:23

S30	135	character\$1 adj input\$6 adj device\$1 and ((input\$6 or press\$6) and keys) and ((draw\$6 or retrace\$6) and (alphabet\$6 and character\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:23
S31	65	character\$1 adj input\$6 adj device\$1 and ((input\$6 or press\$6) adj keys) and ((draw\$6 or retrace\$6) and (alphabet\$6 and character\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:23
S32	32	character\$1 adj input\$6 adj device\$1 and ((input\$6 or press\$6) adj keys) and ((draw\$6 or retrace\$6) and (alphabet\$6 adj character\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:24
S33	0	character\$1 adj input\$6 adj device\$1 and ((input\$6 or press\$6) adj keys) and ((draw\$6 or retrace\$6) adj (alphabet\$6 adj character\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:24
S34	0	character\$1 adj input\$6 adj device\$1 and ((draw\$6 or retrace\$6) adj (alphabet\$6 adj character\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:24
S35	19	character\$1 adj input\$6 adj device\$1 and (connect\$6 and ((input\$6 or press\$6) adj keys) and form\$6 and (alphabet\$6 adj character\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:25
S36	12	character\$1 adj input\$6 adj device\$1 and (connect\$6 and ((input\$6 or press\$6) adj keys) and sequential\$6 and form\$6 and (alphabet\$6 adj character\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:28
S37	6	character\$1 adj input\$6 adj device\$1 and (connect\$6 with Line\$1 or trace\$6 or draw\$6 adj line\$1 adj connect\$6) and (((input\$6 or press\$6) adj keys) and sequential\$6 and form\$6 and (alphabet\$6 adj character\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:31
S38	0	input adj device and (connect\$6 with Line\$1 or trace\$6 or draw\$6 adj line\$1 adj connect\$6) adj (((input\$6 or press\$6) adj keys) and sequential\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:34

		EAST Scarci				
S39	0	input adj device and (connect\$6 with Line\$1 or trace\$6 or draw\$6 adj line\$1 adj connect\$6) adj (((input\$6 or press\$6) adj (keys or button\$1)) and sequential\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:34
S40	0	input adj device and (connect\$6 adj Line\$1 or trace\$6 or draw\$6 adj line\$1 adj connect\$6) adj (((input\$6 or press\$6) adj (keys or button\$1)) and sequential\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:35
S41	0	input adj device and (connect\$6 and Line\$1 and draw\$6 and between) adj (((input\$6 or press\$6) adj (keys or button\$1)) and sequential\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:36
S42	3105	input adj device and (connect\$6 and Line\$1 and draw\$6 and between) and (((input\$6 or press\$6) adj (keys or button\$1)) and sequential\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:37
S43	155	input adj device and (connect\$6 adj Line\$1 and draw\$6 and between) and (((input\$6 or press\$6) adj (keys or button\$1)) and sequential\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:37
S44	4	input adj device and (connect\$6 adj Line\$1 and draw\$6 adj between) and (((input\$6 or press\$6) adj (keys or button\$1)) and sequential\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:38
S45	3	input adj device and (connect\$6 adj Line\$1 and draw\$6 adj between) and (((input\$6 or press\$6) adj (keys or button\$1)) and sequential\$6) and form\$6 and character\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:41
S46	0	input adj device and (connect\$6 adj Line\$1 and draw\$6 adj between) and (((input\$6 or press\$6) adj (keys or button\$1)) and sequential\$6) and form\$6 adj character\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:38
S47	0	input adj device and line\$1 adj join\$6 adj actuat\$6 adj key\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:43
S48	0	input adj device and line\$1 adj join\$6 adj consecutive adj key\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:44

6/21/06 8:59:17 AM

S49	0	input adj device and line\$1 adj join\$6 adj consecutive adj press\$6 adj key\$6 adj sequence\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:44
S50	0	input adj device and line\$1 adj join\$6 and (consecutive adj press\$6 adj key\$6 adj sequence\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:45
S51	0	input adj device and line\$1 adj join\$6 and (consecutive adj press\$6 adj key\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:45
S52	0	input adj device and line\$1 adj join\$6 and (consecutive and press\$6 adj key\$6 adj sequence\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:45
S53	0	input adj device and line\$1 adj join\$6 and (consecutive and depress\$6 adj key\$6 adj sequence\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:45
S54	1	input adj device and line\$1 adj join\$6 and (consecutive and depress\$6 adj key\$6 and sequence\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:45